







Bluetooth

24W SYSTEM FM TF USB IN TRUE | RADIO CRAD INPUT IN STEREO







TITAN3

SUBWOOFER

Driver size: 3.5" Impedance: 4Ω

Output power (RMS): 6W

Total system power: 24W

Pure system power (RMS): 12W Frequency response: 40Hz - 18KHz

SATELLITE

Driver size: 2 x 2.5" Impedance: 8Ω

Output power (RMS): 2 x 3W





Bluetooth5.0

((STRONG BASS CLEAR AUDIO))











Airphone III 2019



Features

Speaker size: 40mm

Frequency Response: 20Hz - 20KHz

Impedance: 32Ω Sensitivity: 96±3dB

Maximum input power: 20mW

Built-in AUX input: 3.5mm Stereo Jack

Bluetooth V5.0

Wireless distance up to 10 meters Support A2DP, AVRCP, HSP, AND HFP Battery level indicator on smartphone

Built-in rechargeable battery

200 MAH LITHIUM Battery

Continuous music playback: up to 8 hours operation

Continuous talk time: up to 8 hours operation

Standby time: up to 15 days Charging time: 2 hours





Bluetooth 5.2



IT COMES WITH APP FOR IOS AND ANDROID







BLUECUBE

Features

USB Power Speakers 2 x 2.5W RMS Output Advanced BlueTooth Version 5.2 Freq Respnse : 100Hz - 20KHz







MORRO 2200

Features

Total system power: 16Walts Frequency response: 20Hz - 18KHz

Satellite driver size: 2" x 2 Subwoofer driver size: 3" x 2

Impedance: 4Ω USB powered: 5V





Features

2.0 USB powered micro speakers with out-of-this-world audio power 4 Built-in bass reflex panels for deep and powerful bass Highly effcient custom-built SonicGear full range driver High efficiency Digital circuit with built-in wired controller Unique Styling with latest in-mould brush aluminium finish





Features

Xtreme bass 2.1 speakers
Unique styling with latest in-mould
brushed aluminium finish
Dual SonicGear bass reflex panel
TF-Card | USB flash driver
Audio line-in



















بنيب و

effect TE Card LISE Ele





2018 EDITION **PANDORA HALO 2**

















Features

Clear sound quality Built-in MP3 player (micro SD) Excellent build quality Decent battery life Light & portable Including hanging strap



Features

Total output power RMS: 6Walts Total built-in driver: 2 x 2" Driver impedance: 4Ω

Frequency Response: 100Hz - 20kHz

S/N. Ratio: ≥75dB

Input power: USB 5V, 1000mA



XENON 2



Features

Deriver size: 40mm Total Driver: 2 Frequency Response: 20Hz - 22KHz

Impedance: 32Ω

Maximum input power: 15mW



Features

Speaker size: 40mm Total built-in driver: 2 Frequency response:20Hz-20KHz Impedance:32 Ohm Sensitivity:103 +- 3dB Cable Length: 1.5m

Microphone:

Frequency response:75Hz-20KHz Sensitivity: -42 +- 4dB



XENON 5

Features

Deriver size: 30mm Total Driver: 2 Frequency Response: 20 - 20000Hz Impedance: 32Ω

Maximum input power: 15mW



WMC 2000U

Features

UHF Wireless Handheld Microphone with Mini Receiver Frequency: 261.8 MHz Working current / Power: 150MA / 0.45W Min owrking voltage: 2.6V Frequency response: 30-18000Hz

Output Impedance: ≤ 600Ω Stability: ± 0.001%

S/N: > 105dB Working distance: 10M~30M

Receiver: power support by USB jack























