





DISPLAY PORT

DISPLAYPORT M-M COPPER CABLE



Copper Cable

Cable Length: 1M/2M/3M









Technology Pty Ltd

VIC NSW OLD SA WA ACT TAS

can trust. More than 22yrs in IT industry.



CLH-H20MM

HDMI Ver2.0 4K 3D M-M Gold Plated Copper Cable Cable Length: 1M/2M/3M/5M/10M

HDMI SERIES

DISPLAYPORT M-M COPPER CABLE











CLD-HMM4K

M-M DVI-HDMI Dual Link Copper Cable (4K support) Cable Length: 1M/2M/3M

DVI Series

Display Port Series



CLD-PMM4K

DisplayPort M-M Copper Cable Cable Length: 1M/2M/3M



CLD-PVGAMF

Displayport to VGA M-F Converter



CLD-PHDMI4K

DisplayPort to HDMI Copper Cable (4K support) Cable Length: 1M/2M/3M



CLD-PHDMIMF

Displayport to HDMI M-F Converter with 4K support @60Hz



CLD-PMDP4K

DisplayPort to Mini DisplayPort Copper Cable (4K support) Cable Length: 2M



CLD-PMDPDV4K

Mini DisplayPort to DVI Copper Cable (4K support) Cable Length: 20cm



CLD-PMDPHD4K

M-M DVI-HDMI Dual Link Copper Cable (4K support) Cable Length: 3M



CLD-PDVI4K

DisplayPort to DVI Male Copper Cable (4K support) Cable Length: 2M/3M



CLD-PDVIMF

Displayport to DVI M-F Converter with 4K support

TYPE-C Series



CLT-PDP

Displayport M-F Converter with 4K support @60Hz



CLT-PDVI

DVI M-F Converter with 4K support



CLT-PDP1M

Displayport Cable with 4K support @60Hz Cable Length: 1M/2M



CLT-PHDMI

HDMI Cable with 4K support @60Hz Cable Length: 1M/2M



CLT-PHDMI

HDMI M-F Converter with 4K support @60Hz



CLT-PVGA

VGA M-F Converter

HDMI Series



CLH-H20MM

HDMI Ver2.0 4K 3D M-M Gold Plated Copper Cable Cable Length: 1M/2M/3M/ 5M/10M



CLM-14MM015

V1.4 M-M Micro HDMI to HDM Gold Plated Copper Cable Cable Length: 1.5M



CLM-20MM4K

V2.0 4K M-M Micro HDMI to HDM Gold Plated Copper Cable Cable Length: 2M/3M



CLN-H20MM4K

V2.0 4K M-M Mini HDMI to HDM Gold Plated Copper Cable Cable Length: 2M/3M





CL-CAT6A

Cat6A UTP High Speed Network Cable Cable Length: 0.5M/1M/2M/ 3M/5M/10M

CAT6A UTP

HIGH SPEED NETWORK CABLE

PERFECT TRANSMISSION

MANUFACTURED BY PRECISION PRESS MACHINE, THE COPPER CABLE CORE PERFECTLY CONNECT TO THE 8P8C.





WIDENED COMPRESSION PIECE




MEDAL COVER



HIGH SPEED

OXYGEN FREE PURE COPPER WHICH CAN PROVIDE STABLE AND EFFICIENT SIGNAL TRANSMISSION.



NO LAG STABLE TRANSPORTATION

COMPLETELY MATCH THE GROUND WIRE, STRONG ANTI-INTERFERENCE ABILITY.





CL-FCAT6A

FLAT Cat6A UTP High Speed Network Cable Cable Length: 0.5M/1M/2M/3M/ 5M/10M/15M/20M



PERFECT TRANSMISSION

MANUFACTURED BY PRECISION PRESS MACHINE, THE COPPER CABLE CORE PERFECTLY CONNECT TO THE 8P8C.





WIDENED COMPRESSION PIECE




MEDAL COVER





HIGH QUALITY

PROVIDE STABLE AND EFFICIENT SIGNAL TRANSMISSION.



NO LAG STABLE TRANSPORTATION

COMPLETELY MATCH THE GROUND WIRE, STRONG ANTI-INTERFERENCE ABILITY.





CL-LSZHCAT6A

Cat6A SSTP Low Smoke Zero Halogen Network Cable Cable Length: 0.5M/1M/2M/3M/ 5M/10M/15M/20M/50M

CAT6A SSTP

SSTP LSZH Network Cable

PERFECT TRANSMISSION

MANUFACTURED BY PRECISION PRESS MACHINE, THE COPPER CABLE CORE PERFECTLY CONNECT TO THE 8P8C.





WIDENED COMPRESSION PIECE




MEDAL COVER



HIGH QUALITY

PROVIDE STABLE AND EFFICIENT SIGNAL TRANSMISSION.



NO LAG STABLE TRANSPORTATION

COMPLETELY MATCH THE GROUND WIRE, STRONG ANTI-INTERFERENCE ABILITY.



TYPE C Series



CL-TCU3AM

USB3.1 TYPE C To USB3.0 AM Cable Cable Length: 1M/2M/5M



CL-TCU3TC4

USB3.1 TYPE C To TYPE C Cable Cable Length: 1M/2M

USB2.0 Series



CL-MRTOUSB

USB2.0 AM to Micro-USB2.0 BM Cable Cable Length: 0.5M/1M/2M/3M/5M

USB3.0 Series



CL-U3AMAM

USB3.0 AM-AM Cable Cable Length: 0.5M/1M/2M/3M/5M



CL-U3AMBM

USB3.0 AM-AM Cable Cable Length: 0.5M/1M/2M/5M



CL-U3AMAF

USB3.0 Externsion AM-AF Cable Cable Length: 0.5M/1M/2M/3M/5M



CL-U3AMRU3

USB3.0 AM to Micro-USB3.0 Cable Cable Length: 0.5M/1M/2M